



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2023/B/4252164  
Dated/दिनांक : 24-11-2023

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	09-12-2023 18:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	09-12-2023 18:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	110 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Finance
Department Name/विभाग का नाम	Regional Rural Banks
Organisation Name/संगठन का नाम	Madhyanchal Gramin Bank
Office Name/कार्यालय का नाम	Sagar
Total Quantity/कुल मात्रा	33
Item Category/मद केटेगरी	Safes (V2) as per IS 550 (Q2)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	10 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
ITC available to buyer/क्रिता के लिए उपलब्ध आईटीसी	Yes
RCM Applicable/लागू आरसीएम	Yes

**Bid Details/बिड विवरण**

<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**Splitting/विभाजन**

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

**Details of the Competent Authority for MII**

Name of Competent Authority	MGB
Designation of Competent Authority	GM
Office / Department / Division of Competent Authority	MGB HO
CA Approval Number	16
Competent Authority Approval Date	03-11-2023
Brief Description of the Approval Granted by Competent Authority	URGENT REQUIREMENT CLASS A GOLD SAFE HEIGHT 5 FEET APPROX AND DIFRENT LOCATION DELEVRY PROCESS

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### **Section 9(3) Of GST/जीएसटी की धारा 9(3)।**

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

### **Safes (V2) As Per IS 550 ( 33 pieces )**

Bis Required	Yes
--------------	-----

### **Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Classification of Safes (Class /Classification Code)	A /TRTL - 30x6
	Size	Single Door - 1340
MATERIAL	Handle and other fittings material	Cast brass, Tin bronze, Mild Steel powder coated, Stainless steel, ABS
LOCKS	Key locks grade (key locks to compliance with Type A (Lever Lock) of IS 17566:2021)	Grade A4, Grade A6, Grade A8, Grade A12, Grade A13, Grade A14
	Any other type of lock on door (in addition to the number of key locks)	Key Lock Grade A4 in compliance of IS 17566:2021, Key Lock Grade A6 in compliance of IS 17566:2021, Key Lock Grade A8 in compliance of IS 17566:2021, Key Lock Grade A12 in compliance of IS 17566:2021, Key Lock Grade A13 in compliance of IS 17566:2021, Key Lock Grade A14 in compliance of IS 17566:2021, Mechanical combination lock class-I in compliance of IS 16723:2020, Mechanical combination lock class-II in compliance of IS 16723:2020, Mechanical combination lock class-III in compliance of IS 16723:2020, Electronics lock, Additional lock not required
INTERNAL FIXTURES	Adjustable shelf in the safes	1 shelf, 2 shelves, 3 shelves, 4 shelves, 5 shelves, 6 shelves, 7 shelves
	Removable shelf in the safes	1 shelf, 2 shelves, 3 shelves, 4 shelves, 5 shelves, 6 shelves, 7 shelves
CERTIFICATION	BIS marked	Yes
	Availability of Test Report including TYPE TEST Report to prove the conformity of parameters to the governing specification	From any Central Government Lab, From NABL accredited lab

**Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details**

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
50%	NA	Yes	18%	1%	01 (INR) - Per Unit	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukesh Kumar Khare	470001,MADHYANCHAL GRAMIN BANK, HEAD OFFICE, PODDAR COLONY, TILI ROAD, SAGAR M.P.	33	15

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें****1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

**2. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Buyer Added text based ATC clauses

TECHNICAL SPECIFICATIONS

Gold Safe (Class A with 16 Drawers)61 INCH

1. Class A : TRTL - 30 x 6 - Safe having torch and tool resisting capacity on all six sides for 30 min each

2. The safe should conform to IS 550 (Part 1): 2022 under all parameters as mentioned by BIS.

3. The Safes should bear a riveted (not screwed) metallic BIS Label, which, inter alia, should contain the following information: a. Manufacturers Name. b. Class & Rating of Safe i.e., Class 'A'; TRTL 30x6. c. Year of manufacturing of Safe & Serial Number of the Safe. d. The ISI mark of BIS (along with the Standards No., i.e., IS 550 (Part 1): 2022.

4. The CML Number allotted by the BIS to the Manufacturer.

5. The internal volume of the TRTL safes shall be not less than 345 Litres for Class A.

6. Inside dimensions of the safe will be minimum- H- 1340 mm, W-500 mm, D-530 mm.

7. Total thickness of steel plate across the safe wall shall be minimum 5 mm subject to a minimum nominal thickness of 2 mm for each plate. 8. Thickness of door slab over the rebate shall be minimum 125 mm. 9. Thickness of door over the bolt work to be minimum 170 mm.

10. Size of each shooting bolt (Area of Bolt Section) to be minimum 800 mm. 5 / 9

11. Depth of engagement of bolts to be minimum 15 mm.

12. The body shall be manufactured in multi-bend construction. The body shall be made so as to provide rebate on four sides. The construction of body shall be such that the resultant force of pull on the door is resisted by a member that is either an integral part of the body or is welded to the inner part of the body and not by any component part that is screwed or riveted.

13. Shooting Bolts: For better security against brutal attack on the Safe, irrespective of its class, the Safe s

ould have at least four shooting bolts on the hinge side, single continuous bolt of fixed nature making engagement into the body opposite to hinge side and one bolt each on top and bottom sides. On the hinge of the door, a hinge cover should be provided.

14. The inside and outside surfaces of the safe shall be painted or powder coated. In case of paint, an appropriate primer and undercoating shall be used in accordance to industry practices. The minimum overall thickness of the coatings shall be 50  $\mu$  for powder coating and 70  $\mu$  for liquid paints. The entire paint of the safe shall be grey, white shade RAL 9002.

15. Lock shall be of dual control type. All locks to have minimum 8 levers made of brass. Key Locks used shall follow type A of IS17566. 16. Monolithic door construction, single piece door without any step. 17. The Safe OEM should be the lock OEM, safe OEM to submit the BIS certificate of Key lock in their name, inhouse lock manufacturing declaration to be provided.

18. The Safe shall have automatic relocking device for key lock in the door which being always on guard shall come into operation if key lock is dislodged by explosives or by other means.

19. Each lock shall be provided with duplicates of main and auxiliary keys. The keys shall be mutually non-interchangeable i.e., no lock shall open by other than its own specific keys.

20. Keys for the lock shall be of stainless steel or any other nonferrous material.

21. The interior storage units shall be provided with 16 Drawers.

22. Inside dimension of the drawer H-100 mm x W-200 mm x D 345 mm.

ATC Commercial Terms:

1. Original Equipment Manufacturer (OEM) should be empanelled in at least 5 Public Sector Banks for last 3 years, proof regarding this should be submitted.

2. OEM brand should have established in India at least for 20 years. This must be supported by necessary statutory documents like TM/ brand registration certificate etc.

3. Product should be sent to the bank for technical evaluation, only approved product/vendor's with banks satisfactory letter should be eligible for participation in the tender.

4. Manufacturer of Physical Security Equipment as listed shall have at least 18 years of experience in design and manufacturing of TRTL Safes. (Supporting documents must be submitted.)

5. Manufacturer or their Authorized dealer/distributors shall be able to arrange site visit if desired by the engineer, where they have successfully executed such projects or currently are in the process of executing such projects.

6. The Bidder should be the Original Equipment Manufacturer (OEM) or Authorized Dealer of Original Equipment Manufacturer (OEM) and should have the experience of supplying TRTL safes for more than 18 years. That is the Bidder should provide BIS Certificate since year 2004 to till date.

7. The bidder/OEM should be Original Equipment Manufacturer of the Locks used in the aforementioned Safe i.e. Safe and Lock should be manufactured by same OEM. (OEM/bidder must give a written undertaking on its letterhead and must also give an NOC to the bank for plant visit if needed).

8. The Bidder should not have been blacklisted/debarred by any PSU or other banking organization during last 10 years. Bidder to give an undertaking for the same by 1000/- notarized stamp paper.

9. The Original Equipment Manufacturer (OEM) should have an average turnover of Rs 200 Cr per year (minimum) for last three FYs (i.e. 2020-21, 2021-22 & 2022-23).

10. The Original Equipment Manufacturer (OEM) should have a dealer/distributor network and "Service Centre" in Madhya Pradesh region. Bidder to give a certificate to this effect and provide the details of service centres.

11. The proof for in house lock manufacturing facility of Safe by the OEM, Copy of Valid Certificate issued by BIS should be produced as proof for adhering BIS guidelines

12. The Bidder/OEM must have a working "Toll Free" and "WhatsApp" numbers in addition to email id for recording of complaints and service request.

13. A metal plate showing classification of the product as per BIS, together with manufacturer's name and the year of manufacture must be fixed on the product for which certification is required as per the technical specification.

14. Any wrong information about specifications given in the Bid documents and supplied item would mean blacklisting for 10 years. 15. A copy of the document based on which the approval or revalidation is obtained for BIS certification, must be attached with the bid documents.

16. Each product should be packed in accordance with the best trade practice, with its door bolted, but not locked. The keys shall be dispatched separately or delivered in some other manner as specific in the purchase order by the bank. The bidder must give an undertaking for the same.

17. Bank has the right to measure the weight of the safe before delivery or after delivery, at any point of time and if it is found less than abovementioned weight then bank will cancel the order and bidder must bear the full cost of delivery and pickup of safe.

18. The OEM should have manufactured minimum 25000 of TRTL safe in last 3 financial year, in each year and minimum 5600 TRTL safes. 19. Delivery time 30 days.

20. SECURITY DEPOSIT AMOUNT Rs 250000 IN BEHALF OF MADHYANCHAL GRAMIN BANK, HO SAGAR. Bidder's security deposit must be received before the bid open date.

21. Post Delivery Test: The Bank reserves the rights to test the TRTL safes as per IS 550:2014. The random selection and the sampling frequency of the TRTL safes for testing shall be at Bank's discretion. Random sample for testing shall be picked only after supply of entire lot and shall be sent for testing within 10 days of delivery of the last safe. Any failure of the TRTL safes to meet the specifications, terms and conditions of RFP as a result of post delivery tests either fully or partially, will Empower Bank to reject all the safes supplied to Bank against the purchase order of this RFP. Such orders will be diverted to other tenderers such as L2, L3 etc. The test report of the Test House will be shared by the Bank and will be binding on both the Bank and the contracted OEM/bidder. The cost of such testing and transportation expenses shall be borne by the Bank and the testing needs to be carried out at BIS certified/NABL accredited laboratories.

22. Sample must reach to the MADHYANCHAL GRAMIN BANK HO Sagar, and only after acceptance of the product Bank will issue No Objection Certificate to the concerned Bidder.

## **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.

11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**